

Body System	Body Sub-System	Concept Row	List Choice
Behavioral	Behavioral	Behavior WDL	WDL= Behavior appropriate to the situation, cooperative, appropriate eye contact; no unusual gestures, mannerisms or speech; no socially inappropriate behavior, verbal or physical aggressiveness toward self or others. Mood and affect appropriate for situation; affect consistent with mood; no agitation, anxiety, euphoria, lability. Thought Process: Thought encodes appropriate to situation, logical, relevant; no delusions and hallucinations; no spontaneous self-reported suicidal thoughts (not asked a shift, full suicide assessment via risk tool)
		Behavior	WDL= Appropriate to the situation, cooperative, appropriate eye contact; no unusual gestures, mannerisms or speech; no socially inappropriate behavior, verbal or physical aggressiveness toward self or others
			Hypersensitive behavior or excessive activity
			Hypoaffective (apathic, withdrawn)
			Incomprehensible or excessive crying
			Physically threatening or aggressive (Combative or Defiant)
			Self-harm behavior
			Socially inappropriate or Poor boundaries
			Speech disorganized
			Uncooperative or Non-compliant
		Mood and Affect	Unusual repeated requests or questioning
			Verbally threatening
			Wandering or Pacing or Restless
			WDL= Mood and affect appropriate for situation; affect consistent with mood; no agitation, anxiety, euphoria, lability
			Agitation
			Anxiety
			Euphoria
			Flat affect
			Mood lability or fluctuations
			WDL= Thought processes appropriate to situation, logical, relevant; no delusions and hallucinations; no spontaneous self-reported suicidal thoughts (not asked a shift, full suicide assessment via risk tool)
Cardiac	Cardiac	Cardiac WDL	Delusions
		Cardiac Regularity	Hallucinations
		Heart Sounds	Suicidal thoughts
			No cardiac symptoms. Regular rate. S1, S2, no adventitious heart sounds.
			WDL= Regular rate
			Irregular
			WDL= S1S2, no adventitious heart sounds
			Click
			Gallop
			Murmur
		Cardiac Symptoms	Rub
			WDL= No cardiac symptoms
			Chest pain at rest
			Chest Pressure
			Chest Tightness
			JVD
			Light-headed
			Palpitations
			Abdomen non-tender, non-distended and soft unless gravid. Bowel sounds audible, bowel movements per patient's baseline. No subjective GI symptoms reported (output is not documented here)
			WDL= Abdomen soft, non-tender, non-distended unless gravid
GI	GI	GI WDL	Concave
		Abdomen	Distended
			Poible mass(es)
			Polypoid
			Rigid
			Tender
		Bowel Activity	WDL= Bowel sounds audible, bowel movements per patient's baseline
			Bowel sounds inaudible
			No bowel movement
			No flatus
		GI Symptoms	Passing flatus
			WDL= No symptoms
			Bloating or fullness
			Cramming
			Heartburn or indigestion
			Loss of appetite
			Nausea
			WDL= Sclera white, No trauma, burning, drainage, drooping, dryness, swelling, edema, acute vision change
			Burning
			Drainage
HEENT	HEENT	HEENT WDL	Drooping
		Right Eye	Dry
			Redness
			Sclera yellow
			Swelling
			Trauma
			Vision changes
		Left Eye	WDL= Sclera white, No trauma, burning, drainage, drooping, dryness, Redness, swelling, acute vision change
			Burning
			Drainage
		Right Ear	Drooping
			Dry
			Redness
			Sclera yellow
			Swelling
			Trauma
			Vision changes
			WDL= No drainage, Redness, swelling, obstruction. No acute hearing changes
			Drainage
			Hearing loss
		Left Ear	Obstruction or Foreign body
			Redness
			Swelling
			Tinnitus
			WDL= No drainage, Redness, swelling, obstruction. No acute hearing changes
			Drainage
			Hearing loss
			Obstruction or Foreign body
			Redness
			Swelling
		Nose	Tinnitus
			WDL= No drainage, congestion, dryness, postnasal drip. No involuntary movements in head and face
			Congestion
			Drainage
			Nasal Dryness
			WDL= Neck soft, voice intact, no masses, swelling, or tenderness
			Hoarse voice
			Mass(es)
			Rigid
			Swelling
		Mouth and Teeth	Tenderness
			WDL= Skin and mucosa intact; No swelling, lesion(s), drainage, difficulty chewing
			Cracked lips
			Difficulty chewing
			Drainage
			Lesion(s)
			Swelling
			WDL= No involuntary movements in head and face
			Frustrating
			Involuntary movements
		Head and Face	Swelling
			Nasal Drainage Color
			WDL= None
			Bloody
			Clear
			Cloudy
			Green
			Yellow
			Nasal Drainage Consistency
			WDL= None
Neuro	Neuro	Neuro WDL	Thick
		Level of Consciousness	Thin
			Alert, oriented x4. Appropriate for age. Face is symmetrical. Follows commands, no memory loss noted or reported (document formal memory assessment separately if completed). No difficulties swallowing. Pupils equal, reactive, and round. Speech is clear.
			WDL= Alert
			Lethargic
			Obtunded
			Restless
			Unresponsive
		Orientation Level	WDL= Oriented x 4
			Disoriented to person
		Cognition	Disoriented to place
			Disoriented to situation
			Disoriented to time
			Disoriented X 4
			WDL= Appropriate for age
			Confused
			Impulsive
			Long term memory loss noted or reported
			Poor attention or concentration
			Short term memory loss noted or reported
		Speech	Unable to follow commands
			WDL= Clear
			Dysarthric or slurred
			Expressive aphasia
			Global aphasia
			Incomprehensible
			Nonverbal
			Receptive aphasia
			Facial Symmetry
			WDL= Normal symmetry
			Left facial drooping
			Right facial drooping

Neuro	Neuro	Swallow	WDL = No difficulties swallowing Difficulty swallowing Painful swallowing
		Pupil Shape Right	WDL = Normal, Round Dilated Irregular Keyhole Oval Pinpoint
		Pupil Reaction Right	WDL = Normal, Reactive Nonreactive Sluggish
		Pupil Shape Left	WDL = Normal, Round Dilated Irregular Keyhole Oval Pinpoint
		Pupil Reaction Left	WDL = Normal, Reactive Nonreactive Sluggish
NeuroVascular/Musculoskeletal	NeuroVascular/Musculoskeletal WDL	NeuroVascular/Musculoskeletal WDL	All extremities with full 5 out of 5 and equal strength and range of motion. Capillary refill time less than, equal to 3 seconds. Pulses +3 palpable. No edema, pain, weakness, numbness and tingling. sensation intact
	Right Upper Extremity	Arm Sensation R	WDL = Intact Absent or No sensation Decreased Numbness Tingling
		Radial Pulse R	WDL = Pulses +3 Palpable + 2 = moderate + 4 = bounding 0 = Absent Only detectable via doppler
		Arm Capillary Refill R	WDL = Less than, equal to 3 seconds Absent Greater than 3 seconds
		Arm Temperature R	WDL = Warm Cold Cool Hot
		Arm Color R	WDL = Appropriate, even tone. No generalized skin abnormalities. Cyanosis Dusky Jaundiced Mottled Pale Ruddy
		Arm Edema R	WDL = No edema + 1 Mild pitting, slight indentation + 3 = Deep pitting, indentation remains for a short time + 4 = Very Deep pitting, indentation lasts a long time +2 = Moderate pitting, indentation subsides rapidly
		Arm Motor R	WDL = 5 out of 5 full strength 0 out of 5 No visible muscle movement 1 out of 5 Visible muscle movement 2 out of 5 Not against gravity 3 out of 5 Against gravity 4 out of 5 Against resistance
		RUE Musculoskeletal	WDL = No swelling, pain, weakness or injury in extremities, ankles, elbows, fingers, hips, knees, shoulders, toes, and wrists. Full range of motion. Amputation Contracture Deformity Injury/Trauma Limited Abduction Limited Adduction Limited Movement Paralysis Swelling Weakness
		Hand or Fingers Musculoskeletal Additional Assessment R	WDL = No swelling, pain, weakness, or injury in extremities, ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited Abduction Limited Movement Paralysis Swelling Weakness
		Wrist musculoskeletal additional assessment R	WDL = No swelling, pain, weakness, or injury in extremities, ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited Abduction Limited Movement Paralysis Swelling Weakness
		Elbow Musculoskeletal Additional Assessment R	WDL = No swelling, pain, weakness, or injury in extremities, ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited Abduction Limited Movement Paralysis Swelling Weakness
		Shoulder musculoskeletal additional assessment R	WDL = No swelling, pain, weakness, or injury in extremities, ankles, back, chest, elbow, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited Abduction Limited Movement Paralysis Swelling Weakness
	Left Upper Extremity	Arm Sensation L	WDL = Intact Absent or No sensation Decreased Numbness Tingling
		Radial Pulse L	WDL = Pulses +3 Palpable +1 = Weak +2 = Moderate +4 = Bounding 0 = Absent Only detectable via doppler
		Arm Capillary Refill L	WDL = Less than, equal to 3 seconds Absent Greater than 3 seconds
		Arm Temperature L	WDL = Warm Cold Cool Hot
		Arm Color L	WDL = Appropriate, even tone. No generalized skin abnormalities. Cyanosis Dusky Jaundiced Mottled Pale Ruddy
		Arm Edema L	WDL = No edema + 1 Mild pitting, slight indentation + 3 = Deep pitting, indentation remains for a short time + 4 = Very Deep pitting, indentation lasts a long time +2 = Moderate pitting, indentation subsides rapidly
		Arm Motor L	WDL = 5 out of 5 full strength 0 out of 5 No visible muscle movement 1 out of 5 Visible muscle movement 2 out of 5 Not against gravity 3 out of 5 Against gravity 4 out of 5 Against resistance
		LUE Musculoskeletal	WDL = No swelling, pain, weakness or injury in extremities, ankles, elbows, fingers, hips, knees, shoulders, toes, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited Abduction Limited Adduction Limited Movement Paralysis

Neuro/Vascular/Musculoskeletal	Left Upper Extremity	LUE Musculoskeletal	Swelling Weakness
		Hand or Fingers Musculoskeletal Additional Assessment L	WDL = No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited Movement Paralysis Swelling Weakness
		Wrist Musculoskeletal Additional Assessment L	WDL = No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited Movement Paralysis Swelling Weakness
		Elbow Musculoskeletal Additional Assessment L	WDL = No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited Movement Paralysis Swelling Weakness
		Shoulder Musculoskeletal Additional Assessment L	WDL = No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited Movement Paralysis Swelling Weakness
	Right Lower Extremity	Leg Sensation R	WDL = Intact Absent or No sensation Decreased Tingling
		Posterior Tibial Pulse R	WDL= Pulses +3 Palpable +1 =Weak +2 = Moderate +4 = Bounding 0 = Absent Only detectable via doppler
		Dorsalis Pedis Pulse R	WDL= Pulses +3 Palpable +1 =Weak +2 = Moderate +4 = Bounding 0 = Absent Only detectable via doppler
		Leg Capillary Refill R	WDL= Less than, equal to 3 seconds Absent Greater than 3 seconds
		Leg Temperature R	WDL= Warm Cold Cool Hot
		Leg Color R	WDL = Appropriate, even tone. No generalized skin abnormalities. Cyanosis Dusky Jaundiced Mottled Pale Ruddy
		Leg Edema R	WDL= No edema +1 Mild pitting, slight indentation +3 = Deep pitting. Indentation remains for a short time +4 = Very Deep pitting. Indentation lasts a long time +2 = Moderate pitting. Indentation subsides rapidly
		Leg Motor R	WDL = 5 out of 5 full strength 0 out of 5 No visible muscle movement 1 out of 5 Visible muscle movement 2 out of 5 Not against gravity 3 out of 5 Against gravity 4 out of 5 Against resistance
		RLE Musculoskeletal	WDL= No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury/Trauma Limited abduction Limited Movement Paralysis Swelling Weakness
		Foot or Toes Musculoskeletal Additional Assessment R	WDL= No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited Movement Paralysis Swelling Weakness
		Ankle Musculoskeletal Additional Assessment R	WDL= No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited Movement Paralysis Swelling Weakness
		Knee Musculoskeletal Additional Assessment R	WDL= No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited Movement Paralysis Swelling Weakness
		Hip Musculoskeletal Additional Assessment R	WDL = No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury/Trauma Limited abduction Limited Movement Paralysis Swelling Weakness
Left Lower Extremity		Leg Sensation L	WDL = Intact Absent or No sensation Decreased Tingling
		Posterior Tibial Pulse L	WDL= Pulses +3 Palpable +1 =Weak +2 = Moderate +4 = Bounding 0 = Absent Only detectable via doppler
		Dorsalis Pedis Pulse L	WDL= Pulses +3 Palpable +1 =Weak +2 = Moderate +4 = Bounding 0 = Absent Only detectable via doppler
		Leg Capillary Refill L	WDL= Less than, equal to 3 seconds Absent Greater than 3 seconds

NeuroVascular/Musculoskeletal	Left Lower Extremity	Lee Temperature L	WDL= Warm Cold Cool Hot
		Leg Color L	WDL= Appropriate, even tone. No generalized skin abnormalities. Cyanosis Dusky Jaundiced Mottled Pale Ruddy
		Lee Edema L	WDL= No edema + 1 Mild edema, slight indentation + 3 = Deep pitting, indentation remains for a short time + 4 = Very Deep pitting, indentation lasts a long time +2 = Moderate pitting, indentation subsides rapidly
		Leg Motor L	WDL = 5 out of 5 full strength 0 out of 5 No visible muscle movement 1 out of 5 Visible muscle movement 2 out of 5 Not against gravity 3 out of 5 Against gravity 4 out of 5 Against resistance
		LLE Musculoskeletal	WDL= No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited adduction Limited Movement Paralysis Swelling Weakness
		Foot or Toes Musculoskeletal Additional Assessment L	WDL= No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited adduction Limited Movement Paralysis Swelling Weakness
		Ankle Musculoskeletal Additional Assessment L	WDL= No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited adduction Limited Movement Paralysis Swelling Weakness
		Knee Musculoskeletal Additional Assessment L	WDL= No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited adduction Limited Movement Paralysis Swelling Weakness
		Hip Musculoskeletal Additional Assessment L	WDL= No swelling, pain, weakness, or injury in extremities; ankles, back, chest, elbows, fingers, hips, knees, shoulders, toes, trunk, and wrists. Full range of motion. Amputation Contracture Deformity Injury or Trauma Limited abduction Limited adduction Limited Movement Paralysis Swelling Weakness
Spine		C Spine	WDL = No swelling, pain, weakness or injury in C-spine. Full range of motion Contracture Deformity Injury or Trauma Limited Movement Paralysis Swelling Weakness
		Back	WDL = No swelling, pain, weakness or injury in back. Full range of motion Contracture Deformity Injury or Trauma Limited Movement Paralysis Swelling Weakness
		L Spine	WDL = No swelling, pain, weakness or injury in L-spine. Full range of motion Contracture Deformity Injury or Trauma Limited Movement Paralysis Swelling Weakness
Respiratory	Respiratory	Respiratory WDL	WDL= Chest excursion and trachea symmetrical. No cough. No sputum. Clear lung sounds. Unlabored, no shortness of breath, no retractions. Regular respiratory pattern.
		Chest and Trachea Visual Inspection	WDL= Chest excursion and trachea symmetrical Barrel Chest Crepitus Expansion Left side only Expansion Right side only Pectus carinatum (Pigeon chest) Pectus excavatum (Sunken chest) Trachea deviates Left Trachea deviates Right
		Respiratory Pattern	WDL= Regular Apneal Aneal Bradypneic Tachypneic
		Respiratory Effort	WDL=Unlabored, no shortness of breath, no retractions Accessory muscle use Labored Pursed Lips Retractions Shortness of breath at rest Shortness of breath with exertion
		R Upper Breath Sounds	WDL= Clear Absent Came Crackles or Rales Diminished Expiratory wheezes Inspiratory wheezes Pleural Rub Rhonchi Stridor
		R Middle Breath Sounds	WDL= Clear Absent Came Crackles or Rales Diminished Expiratory wheezes Inspiratory wheezes Pleural Rub Rhonchi
		R Lower Breath Sounds	WDL= Clear Absent Came Crackles or Rales Diminished Expiratory wheezes Inspiratory wheezes Pleural Rub Rhonchi
		L Upper Breath Sounds	WDL= Clear Absent Came Crackles or Rales Diminished Expiratory wheezes Inspiratory wheezes Pleural Rub Rhonchi Stridor
		L Lower Breath Sounds	WDL= Clear Absent

Respiratory	Respiratory	L Lower Breath Sounds	Coarse
			Crackles or Rales
			Diminished
			Expiratory wheezes
			Inspiratory wheezes
			Pleural Rub
			Rhonchi
		Cough	WDL = no cough
			Bark
			Non Productive
			Persistent
			Productive
	Sputum Amount	Strone	
		Weak	
		WDL = No sputum	
		Large	
		Moderate	
	Sputum Color	Small	
		WDL = No sputum	
		Green	
		Pink Tinged	
		Red	
	Sputum Consistency	Tan	
		White	
		Yellow	
		WDL = No sputum	
		Frothy	
	General Skin Color	Purulent	
		Thick	
		Thin	
		WDL = Warm, dry, intact, with appropriate, even tone. No generalized skin abnormalities. No minor skin integrity findings (see table). Major skin findings documented in LDA.	
		WDL = Appropriate, even tone, No generalized skin abnormalities	
Skin	Skin	Skin WDL	Dark
			Generalized cyanosis
			Jaundiced
			Mottled
			Pale
		General Skin Color	Ruddy
			WDL = Warm, dry, intact, with appropriate, even tone. No generalized skin abnormalities. No minor skin integrity findings (see table). Major skin findings documented in LDA.
			Cold
			Cool
			Hot
		Skin Symptom	Itchy
			Diaphoretic
			Itchy
			WDL = Warm, dry, intact, with appropriate, even tone. No generalized skin abnormalities. No minor skin integrity findings (see table). Major skin findings documented in LDA.
			Cold
		Locations	Cool
			Hot
			Clammy
			Diaphoretic
			Itchy
		Skin WDL	Abdomen
			Anus
			Back
			Buttocks
			Chest
		General Skin Color	Face
			Flank
			Genitalia
			Head
			L foot
		Skin Integrity Exceptions (Minor findings when LDA not needed)	L forearm
			L hand
			L hip
			L lower leg
			L shoulder
			L upper arm
			L upper leg
			Neck
			Perine
			R foot
		Skin Integrity Exceptions (Minor findings when LDA not needed)	R forearm
			R hand
			R hip
			R lower leg
			R shoulder
			R upper arm
			R upper leg
			Bruising
			Drainage
			Flaky
		Skin Integrity Exceptions (Minor findings when LDA not needed)	Hematoma
			Hemorrhoid(s)
			Hives
			Laceration(s)
			Macerated or bullae(s)
			Peelone
			Petechiae
			Pustule
			Rash (including as more general term than hives)
			Redness
		Skin Integrity Exceptions (Minor findings when LDA not needed)	Scaling
			Superficial Abrasion (includes scratched)
			Swelling
			Weeping
			WDL = No symptoms reported (output is documented in U/L, use Zero in U/L for anuria, bladder scanner results in U/O, incontinence might also be in U/O...needs discussion or keep here?)
Urinary Symptoms	Urinary Symptoms	Urinary Symptoms WDL	Burntine / Pain
			Incontinence
			Increased frequency
			Urgency
			WDL = No symptoms reported (output is documented in U/L, use Zero in U/L for anuria, bladder scanner results in U/O, incontinence might also be in U/O...needs discussion or keep here?)
		Urinary Symptoms	Burntine / Pain
			Incontinence
			Increased frequency
			Urgency
			WDL = No symptoms reported (output is documented in U/L, use Zero in U/L for anuria, bladder scanner results in U/O, incontinence might also be in U/O...needs discussion or keep here?)
Grand Total			